

## hTLR8

**Nomenclature** C57BL/6Smoc-*Tlr8*<sup>tm2(TLR8)Smoc</sup>

**Cat. NO.** NM-HU-190044

**Strain State** Repository Live

#### **Gene Summary**

Gene Symbol TLR8	Synonyms	
	NCBI ID	<u>170744</u>
	MGI ID	<u>2176887</u>
	Ensembl ID	ENSMUSG00000040522
	Human Ortholog	TLR8

### **Model Description**


The endogenous mouse Tlr8 gene was replaced by human TLR8 gene.

**Research Application**: Immunotherapy,cancer research,drug screening

\*Literature published using this strain should indicate: hTLR8 mice (Cat. NO. NM-HU-190044) were purchased from Shanghai Model Organisms Center, Inc..

#### **Validation Data**





**Fig1. Detection of TLR8 expression in spleen, lung and thymus by RT-PCR.** Wild type: only one band at 318 bp with primers F1/R1(mTlr8); Homoygous: only one band at 366 bp with primers F2/R2(hTLR8); Abbr.. M, DNA marker; HO, homozygous; HE, heterozygous; WT, wild type.




Fig 2. The representative picture of hepatomegaly(top), splenomegaly (bottom) in aged hTLR8 mice.






Fig 3. Histology of (A) spleen and (B) liver in aged hTLR8 mice. A prominent portal inflammation with fibrosis and bile duct hyperplasia in liver (A); Decreased cellularity in periarteriolar lymphoid sheath and the increase of histocytes in the red pulp of spleen (B).




Fig 4. The expression pattern of hTLR8 in myeloid cells (A, B); and cytokine analysis in serum of aged hTLR8 mice (C).





Fig 5. The dynamic change of (A) myeloid and (B) lymphocyte lineage in the spleen of hTLR8



# mice; and (C) in vitro stimulation of splenocytes from wild type (WT) C57BL/6 and hTLR8 mice with hTLR8 agonist ORN-06



**Fig 6. MC-38 tumor growth curve and tumor weight of individual mice from the 4 groups.** One way ANOVA \*, \*\*, and \*\*\* refer to p<0.05, p<0.01, and p<0.001, respectively




Fig 7. Serum level of cytokine analysis by MSD and intracellular TNF-a staining by FACS in splenocytes.







Fig 8. Tumor infiltrated immune component analysis.



**Fig 9. Pro-inflammatory cytokines in the tumor cell lysate.** \*Validation data are provided by Crownbio.