

BT-474

Strain Information

Cat. NO. NM-R02

Cell Line BT-474

Strain State Validation of tumorigenic capacity completed

Model BT-474 is a cell line exhibiting epithelial morphology that was isolated from a Description solid, invasive ductal carcinoma of the breast obtained from a 60-year-old,

White, female breast cancer patient.

*Literature published using this strain should indicate: BT-474 cell line (Cat. NO.


NM-R02) was purchased from Shanghai Model Organisms Center, Inc..

Validation Data



Fig1. Morphology of BT-474 cell line.










Fig2. Analysis of Tumorigenesis in CB17SCID mice (n=5) . a Tumor volume was measured by time. b Body weight was simultaneously checked.







BT-474

S.C.
m.f.p.

24

20

16

14

5 10 15 20 25 30 35 40

Days post inoculation

C

Fig3. Analysis of Tumorigenesis in M-NSG mice. (A) BT-474 cells were subcutaneously inoculated in M-NSG mice (n=10). (B) BT-474 cells were inoculated in the fat pads of M-NSG mice (n=5). (C) Body weight was simultaneously checked $(n=5\sim10)$.




Fig4. Survival curve of M-NSG mice during tumorigenesis (n=5~10)



*Wild-type cell lines are not for sale, and only applied to construction of tumor bearing mice and in-vivo efficacy studies.